# Stretched Display

SHR-B

Engage customers with powerful content in a slim, versatile package




## **Industry trends**

Stretched format displays have become commonplace in locations where businesses are looking to capture attention or clearly deliver information. They are also frequently used in locations where standard-shaped displays may not have the same impact, such as where space is limited. As result of increased demand, global stretched display market is expected to grow rapidly by the end of 2026 with an increase of more than 28 percent.

With so many different potential applications, a stretched display's most important feature is typically its design. Displays with a slim form factor provide more flexibility since displays can be used in spaces of nearly any dimension and clearly deliver information 24/7. Recently, the utility of stretched displays has expanded even further beyond advertising in retail and hospitality locations, but also to deliver critical travel information in locations such as airports, bus and train stations. Because of this, text and messages on the display must remain vivid and sharp even under hard-to-see ambient conditions.

With the most recent technological advances in these displays, such as built-in management controls, easy installation, improved maintenance and usability, the market for these displays is expected to see continued growth for the near future.

### Growth potential of stretched display market



# Why Samsung SH37R-B?


Samsung SHR-B stretched displays offer crisp, clear images in nearly any lighting conditions with a non-glare panel and 700 nit brightness. The display's 16:4.5 stretched format and the ability to customize content with portrait and landscape orientation gives users flexibility to maximize viewer engagement with custom content without wasting space or making any sacrifices.

Samsung's SHR-B displays also now come with Samsung's powerful Tizen operating system embedded, giving users powerful capabilities without the need for a separate media player box.

This all-in-one solution is easier for users to manage and features simplified installation and maintenance.

SH37R-B displays are available in a variety of environment, brightness options and features making them flexible and optimized solution for a wide variety of digital signage needs.








Stretch Ratio

All- in-one solution

## **Key features**



### Maximize space and optimize content

Digital signage today needs to be versatile and cost effective with an emphasis on maximizing space efficiency. There has been an increasing need to utilize niche spaces with effective signage solutions. Samsung SHR-B displays, with 16:4.5 wide screen stretched display offer the ability to effectively communicate information in small, narrow spaces such as store shelves, ceilings, and corridors.



### Deliver sharp images in various lighting conditions

Samsung SHR-B displays deliver vibrant, realistic images offering an unparalleled visual experience. Featuring brightness levels of up to 700 nit, these displays deliver the clearest, richest images regardless of lighting conditions. SHR-B Series displays excel in situations with strong light where glare may present an issue.



# Maximize viewer engagement in a minimum amount of space

Samsung SHR-B displays feature a slim profile with a depth of only 44.8 mm which allows you to maximize available space. This enables the display to be installed in areas where space is limited and allows content to blend seamlessly with the environment in a slim, light, design with reduced power consumption for lower operation costs.



### Powerful, all-in-one solution

The Samsung SMART Signage Platform (SSSP) is an open-source, all-in-one solution embedded in Samsung SMART signage that simplifies installation and maintenance. With SSSP, there is no need for any external devices to communicate with the server or play digital media enjoying easy development, reinforced capability with multiple-web formats, and secured protection.



### Customize content from portrait to landscape

Samsung SHR-B displays offer pivoting capability along with image rotation software that can change image orientation from portrait to landscape for greater display flexibility. Images do not require rotation in image editing software to make them appear correctly in a different orientation as this capability is handled automatically within the display.



### Daisy chain multiple displays

Due to the relative novelty of UHD in commercial display settings, SHR-B currently offer support for UHD streaming. With UHD resolution content on multiple displays, made possible with daisy chain, users can deliver eye-catching messages in complete clarity for greater impact.

# **Specifications**

Model			SH37R-B
	Class		37"
Panel	Diagonal Size	Measured	37.0" / 93.98cm
	Туре		60Hz E-LED BLU
	Resolution		1920 x 540 (16:4.5)
	Pixel Pitch(mm)		0.47(H) x 0.47(V)
	Active Display Area(mm)		904.32 (H) x 254.34 (V)
	Brightness(Typ.)		700nit
Panet	Contrast Ratio(Typ.)		4000:1
	Viewing Angle(H/V)		178:178
	Response Time(G-to-G)		6.5ms
	Display Colors		8bit -16.7M
	Color Gamut		72%
	Operati		24/7
	Haze Dynamic C/R		28%
Display	H-Scanning Frequency		N/A 33.6 ~ 36.6kHZ
	V-Scanning Frequency		47 ~ 63HZ
	Maximum Pixel Frequency		47 631L2 48MH2
Sound	Speaker Type		N/A
Journa	INPUT	RGB	Display Port 1.2
Connectivity		VIDEO	HDMI 2.0 (2)
		HDCP	HDCP2.2
		AUDIO	N/A
		USB	USB 2.0 x 1
	OUTPUT	RGB	HDMI 2.0 (1)
		VIDEO	N/A
		AUDIO	Stereo mini Jack
		Power Out	N/A
	EXTERNAL CONTROL		RS232C(in/out), RJ45
	EXTERNAL SENSOR		IR
	Tuner		N/A Internal
Power	Type Power Supply		AC100 - 240V, 50/60 Hz
	Max[W/h]		70
	Power Consumption  Dimension (mm)  Weight (kg)	Typical[W/h]	52
		BTU(Max)	239
		Sleep mode	less than 0.5W
		Off mode	less than 0.5W
Mechanical		Set	923.3 X 277.6 X 44.8
		Package	1112 x 363 x 122
		Set	6.3kg
		Package	8.8kg
Spec	VESA Mount		400*200mm
	Protection Glass Stand Type		N/A
	Bezel Width (mm)		N/A 7.9 (Side), 9.8 (Top/Bottom)
	Operating Temperature		0°C~ 40°C
Operation			10-80%
	Humidity Key		"Slim & Light LFD with Built-in MagicInfo Player S6, SSSP 6.0, WiFi"
	Orientation		Landscape / Portrait
	Special	H/W	Temperature Sensor, Portrait Installation support, Clock Battery(168hrs Clock Keeping), Video Wall Daisy Chain(HDCP2.2:4EA,HDCP1.4:7EA),
Feature			Shock and Vibration certificated(IEC 61373)
		S/W	"Auto Source Switching & Recovery, LFD Home UI, Button Lock, Hot key option, Plug&Play (Initial Setting)"
	Internal Player (Embedded H/W)	Processor "On-Chip Cache Memory"	Cortex A721.7GHz Quad-Core CPU "L1 Instruction Cache : 48KB, L1 Data Cache : 32KB, L2 Cache : 2MB"
		Clock Speed	1.7GHz
		"Main Memory Interface"	"2.5GB, 64-bit LPDDR4 (1.5GHz)"
		Graphics	"Graphic resolution: 1920x540, Output resolution: 1920x540 - Supports OpenGLES"
		Storage (FDM)	"8GB (3.88GB Occupied by O/S, 4.12GB Available)"
			" Video Decoder - MPEG-1/2/4, H.263, H.264/AVC, UHD H.264/AVC, VC-1, AVS+, HEVC, JPEG, PNG, VP8, VP9
		Multimedia	Audio Decoder - AC3 (DD), MPEG"
		IO Ports	USB 2.0
	Operating System Safety		Tizen 4.0 (VDLinux)
Certification	EMC		60950-1 Class A
Ceruntation	Environment		N/A
	Included		QSG, Warranty Card, Power Cord, Batteries, Remote Control, External remote control sensor(IR)
	Stand		QJO, Warranty Card, Fower Cord, parteries, Reinote Control, External reinote Control sensority) N/A N/A
Accessories	Optional	Mount	N/A
		Specialty	N/A
		Media Player	N/A

### About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

#### **Smart Signage**

For more information about Samsung SMART Signage SH37R-B Series Displays, visit www.samsung.com/business or www.samsung.com/displaysolutions

Copyright © 2021 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd.

416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea